


ENCLOSED CHANGE-OVER SWITCHES

16÷160A

3P-3P+N



InfoTECH

ITALY

WORLDWIDE


Numero Verde

800-018009

ScameOnLine

www.scame.com
infotech@scame.com


		16÷40A 3P-3P+N	63-80-100A 3P-3P+N	125-160A 3P-3P+N
Wire range		1.5÷16mm ²	10-50mm ²	10-70mm ²
Tightening torque	Terminal screws	2Nm	3.5Nm	6Nm
	Fixing screws	1.2Nm	1.2Nm	1.2Nm
Wire strip length		10mm	13mm	15mm



⚠ ATTENTION
 When mounting or removing additional elements the switch **has to be in OFF position** for avoiding damages to mechanism.
 When removing main switch following instruction for avoiding damages.


THERMOPLASTIC ENCLOSURES

16÷40A
3P-3P+N




Cable entries		
Top	2xM32	Threaded
Bottom	2xM32	Threaded
Rear	/	Blank side

63-80-100A
3P-3P+N



Cable entries		
Top	/	Blank side
Bottom	/	Blank side
Rear	/	Blank side


125-160A
3P-3P+N



Cable entries		
Top	/	Blank side
Bottom	/	Blank side
Rear	/	Blank side


ALUMINIUM ENCLOSURES

**16÷40A
3P-3P+N**




Cable entries		
Top	2xM32	Threaded
Bottom	2xM32	Threaded
Rear	/	Blank side

**63-80-100A
3P-3P+N**



Cable entries		
Top	/	Blank side
Bottom	/	Blank side
Rear	/	Blank side

**125-160A
3P-3P+N**



Cable entries		
Top	/	Blank side
Bottom	/	Blank side
Rear	/	Blank side