




## > FLUSH MOUNTING BOXES



## > VERSIONS

	Round flush mounting box
	Rectangular flush mounting box
	Flush junction box

## > REFERENCE STANDARDS

**EN 60670-1**  
Boxes and enclosure for electrical accessories for household and similar fixed electrical installation.  
*Part 1: general requirements*

## > QUALITY MARKS




## > TECHNICAL CHARACTERISTICS

Protection degree:	<b>IP40</b>
Operating temperature according to the reference standard:	<b>-25°C+60°C</b>
Max. operating temperature:	<b>60°C</b>
Glow Wire test:	<b>650°C</b>
Material:	<b>Engineering plastic</b>
Halogen free:	<b>Yes</b>
DIN rail fixing:	<b>Yes</b>
IK degree at 20°C:	<b>IK04 - Ik07 (cover)</b>

## > BEHAVIOUR WITH CHEMICAL AND ATMOSPHERIC AGENTS

Saline solution	Acids		Bases		Solvents				Mineral oil	UV rays
	Concentrated	Diluted	Concentrated	Diluted	Hexane	Benzol	Acetone	Alcohol		
Resistant	Not Resistant	Not Resistant	Limited Resistance	Resistant	Not Resistant	Not Resistant	Not Resistant	Limited Resistance	Resistant	Resistant

## > FLUSH MOUNTING INSTALLATION



## > APPLICATION EXAMPLES

