

TO ALL OUR CUSTOMERS

1. NEWS: ENVIRONMENTAL CERTIFICATION UNI EN ISO 14001

On 27-06-2003, SCAME PARRE S.p.A. has been awarded the Certification for Environmental Management according to the standard UNI EN ISO 14001 for all its premises (Costa Erta, Campignano and Ponte Nossa). The certificate number is 9191.SCMP, sector no. 19.



Further information is available in the IMQ site at the following link :

http://www.imq.it/bg/default_azi.asp?cod=03.

2. NEWS: CABLE TRUNKING AND ACCESSORIES

A new Range of cable trunking and accessories is now available, replacing the current ones that are out of production.

The new Range includes the following sizes (in mm):

- 40x40, 60x40, 60x60, 80x60, 100x80, 100x60, 150x60, 150x80, 200x80.



Of course, the whole series of internal, external, flat angle, "T" joint accessories, etc. is also coded.

The corresponding technical features are as follows:

- Degree of protection : IP40;
- Two versions are available:
 - cable trunking
 - cable & equipment trunking
- -20°C to + 60°C dimension stability
- Acid, oil and fat resistant
- Impact resistance: 6 J

Cable trunking can also be used as equipment holders by adding the appropriate fitting.

You will receive further information shortly.



Dimensions (mm)	Cable Trunking	Cable Trunking and accessories
	Catalogne No.	Catalogne No.
40x40	872.04040	-
60x40	872.06040	-
60x60	872.06060	-
80x60	872.08060	-
100x80	872.10080	-
100x60	-	872.10060
150x60	-	872.15060
150x80	-	872.15080
200x80	-	872.20080

3. NEWS: CABLE GLANDS "HEAVY DUTY" GAS PITCH

The range of CABLE GLANDS is now wider with the GAS pitch versions. This product range is only made in the HEAVY DUTY version.

These are the codes of products:


Description	Cable Gland Code	IP68 Seal Code
		Existing Products
Cable Gland GAS 1/4"	805.7350	805.3390
Cable Gland GAS 3/8"	805.7351	805.3391
Cable Gland GAS 1/2"	805.7353	805.3393
Cable Gland GAS 5/8"	805.7354	805.3394
Cable Gland GAS 3/4"	805.7355	805.3395
Cable Gland GAS 1"	805.7356	805.3396
Cable Gland GAS 1.1/8"	805.7357	805.3397
Cable Gland GAS 1.1/2"	805.7358	805.3397
Cable Gland GAS 2"	805.7359	805.3399



The technical features of the product are identical to the already existing M and PG versions' ones.

- Colour: technopolymer grey RAL7004 (black grey)
- Degree of protection: IP66 (no gasket provided)
IP68 at 1 bar (with gasket, to be ordered separately)
- Temperature of use: -20°C to +80°C
- Glow-wire test: 750°C

	A Fixing hole (mm)	B Cable size (mm)	C Spanner size (mm)	L Length of thread (mm)	Spanner couple (Nm)	
					fastening nut	gasket fastening nut
GAS 1/4"	13	da 3 a 6	15	9,5	2,5	2,5
GAS 3/8"	16	da 4 a 8	19	9,5	4	2,5
GAS 1/2"	21	da 7 a 12	24	12	6	5
GAS 5/8"	23	da 10 a 14	27	12	6	5,5
GAS 3/4"	29	da 13 a 18	33	14	9	7
GAS 1"	37,5	da 18 a 25	42	15	14	10
GAS 1.1/8"	47,5	da 22 a 32	53	17,5	15	12,5
GAS 1.1/2"	47,5	da 22 a 32	53	17,5	15	12,5
GAS 2"	60	da 34 a 44	68	20	15	12,5



4. NEWS: CABLE GLANDS WITH PG PITCH AND DIAPHRAGM

The range of cable glands with PG pitch has also been improved. PG cable glands in the LIGHT version with diaphragm have been coded.

PITCH	VERSION	DIMENSION S	Without diaphragm		With diaphragm	
			With nut already existing products	Without nut already existing products	With nut new codes	Without nut new codes
PG	LIGHT	PG 7	805.3340	805.3340.0	805.3340.1	805.3340.2
		PG 9	805.3341	805.3341.0	805.3341.1	805.3341.2
		PG 11	805.3342	805.3342.0	805.3342.1	805.3342.2
		PG 13.5	805.3343	805.3343.0	805.3343.1	805.3343.2
		PG 16	805.3344	805.3344.0	805.3344.1	805.3344.2
		PG 21	805.3345	805.3345.0	805.3345.1	805.3345.2
		PG 29	805.3346	805.3346.0	805.3346.1	805.3346.2
		PG 36	805.3347	805.3347.0	805.3347.1	805.3347.2
		PG 42	805.3348	805.3348.0	805.3348.1	805.3348.2
		PG 48	805.3349	805.3349.0	805.3349.1	805.3349.2



5. NEWS: GOST MARKING FOR SCAME PRODUCTS

Even more SCAME products have been certified. In fact, the GOST certification (Russian Certification Body) and the MSFS MIA certification (Russian Governmental Body for Fire Tests)



have been granted to many SCAME products. GOST-certified products (products are listed below by range):

101	221	330	500	547	632	692
102	226	335	501	550	654	770
105	230	400	505	551	655	780
106	235	401	506	552	661	781
110	240	405	512	553	663	786
115	242	406	515	554	664	791
116	245	412	517	555	665	796
130	246	415	522	556	666	
135	247	417	527	557	670	
160	310	422	530	558	671	
200	311	427	535	570	672	
210	315	430	542	572	673	
211	316	435	544	576	674	
215	321	452	545	590	675	
216	326	457	546	630	690	


MSFS MIA-certified products (products are listed below by range):

870	872	873	874	876
-----	-----	-----	-----	-----

6. NEWS: KIT OF HINGES FOR SCABOX JUNCTION BOXES

We have created a kit that allows installing hinges in SCABOX junction boxes codes 685.xxx and 686.xxx. The kit is available in the three largest sizes of the versions with cable sleeves, blank side and transparent cover. Therefore, the change concerns the products mentioned below:

with cable sleeves	with blank sides	with transparent cover
685.208	686.208	686.228
685.209	686.209	686.229
685.210	686.210	



The suitable kit for all above-mentioned products is the following :


Description	Item Code
Kit of hinges for SCABOX products	654.0085

Hinges can only be used with all SCABOX products showing on label a week following week no. 39 of 2003 (Ex.: 3903).

7. NEWS: 35 mm² TERMINALSTRIPS T85

The range of T85 terminal strips is now wider thanks to the introduction of a 35mm²-rated-section terminal strip.

Connecting capacity (mm ²)	Rated Current (A)	Available Colours	Code
35	125	Black	815.2366
		White	815.2366B




8. PRODUCT OUT OF PRODUCTION: PVC TERMINAL STRIPS


PVC Terminal Strips, codes 815.0xxxx and 815.3xxxx, are now in exhaustion and, thus, out of production. This product is replaced by version T85 art. 815.2xxxx.

~~815.0xxx~~

~~815.3xxx~~



815.2xxxx




9. CHANGE IN A PRODUCT: DIN RAIL FIXING DEVICE HAS BEEN REMOVED FROM ALUBOX BOXES

DIN rail fixing devices are removed from ALUBOX boxes, codes **653.01** and **653.02**.

Therefore, the use of DIN rails is impossible from now on.

Warning: codes are unchanged.





10. CHANGE IN A PRODUCT: CONTROL DEVICES TOP22 WITH METRIC INPUTS

PG Inputs of TOP22 enclosures are replaced by **METRIC** inputs.

The change only refers to the input of the enclosures below. Products with metric input are already available.








Accordingly, PG input enclosures will not be manufactured any more.

Codes of products out of production	Products replaced by
590.PQ01K	590.PR01K
590.PQ02K	590.PR02K
590.PQ03K	590.PR03K
590.PQ01RN8	590.PR01RN8
590.PQ02A	590.P02A
590.PQ03A	590.PR03A
590.PQ01R4S	590.PR01R4S
590.PQ01C4N	590.PR01C4N
590.PQ01R4N	590.PR01R4N



11. NEWS: NEW UNIBOX PRODUCTS EQUIPPED WITH ACCESSORIES

Our range of production now includes UNIBOX enclosures provided with accessories.

ENCLOSURE IP55		DESCRIPTION	ITEM CODE
		UNEL GERMAN-TYPE SOCKET	136.5122-412
		NFC 61-303 FRENCH-TYPE SOCKET	136.5122-411
		UNIPOLAR 16AX SWITCH + UNEL GERMAN-TYPE SOCKET	136.5123-412
		UNIPOLAR 16AX SWITCH + NFC 61-303 FRENCH-TYPE SOCKET	136.5123-411

SCAME PARRE SPA
EXPORT DEPT.