




TO ALL OUR CUSTOMERS

1. NEW METAL 160A ISOLATORS

The offer for ISOLATORS series switch-disconnectors has been extended. A new **160A** version with metal enclosure is now included in the family. As in the already existing versions, the new item will be available for:

- emergency control: 

- general use: 

Metal Version				Catalogue Number	
Rated current AC22A	Protection degree	Dimensions (mm)	Poles	Emergency Control 	General Use 
160A	IP65	410x315x150	3	590.HEM16003	590.HGE16003
			4	590.HEM16004	590.HGE16004

Electric features of switch-disconnectors are as follows:

- Insulating rated voltage **Ui: 750 (Vac and Vdc)**
- Pulse voltage rated resistance **Uimp: 12 (kV)**
- Thermal rated voltage **Ith: 200 (A)**
- Thermal rated voltage **Ithe: 160 (A)**
- Working rated voltage **In AC21A (690V): 160 (A)**
- Working rated voltage **In AC22A (690V): 160 (A)**
- Working rated voltage **In AC23A (500V): 125 (A)**



2. NEW IEC309 SERIES PRODUCT, 2P+ E 125A SOCKETS & PLUGS

The range of IEC309 Series products has been extended. 2P+ E 125A sockets and plugs, 6h version, are now available. Products below are codified as new items:


Description	Catalogue Number
2P+ E-125A-6h Mobile plug	215.12533
2P+ E-125A-6h Surface mounting inlet	245.12593
2P+ E-125A-6h Panel mounting inlet	246.12593
2P+ E-125A-6h Mobile Socket	315.12543
2P+ E-125A-6h Surface mounting Socket	515.12553
2P+ E-125A-6h Panel mounting Socket	415.12563
2P+ E-125A-6h Metric entry - Surface mounting inlet	245.M12593
2P+ E-125A-6h Metric entry - Surface mounting Socket	515.M12553



3. NEW 12-MODULES DIN RAIL KIT FOR IP66 DOMINO SERIES

A new 12-modules DIN rail kit has been codified. It is vertically-adjustable for IP DOMINO Series products and provided with mounting brackets. This kit is suitable for modular enclosures being 256 mm long: 672.3100, 672.3200, 672.3300, 672.3302 (12 DIN modules).

Description	Catalogue Number
DIN rail kit for IP66 DOMINO products, 12 DIN modules	654.0751




4. PRODUCT CHANGE: IP40 DOMINO FLUSH-MOUNTING CONSUMER UNITS

Supports to fix terminal blocks to the lower side of the frame for IP40 DOMINO flush-mounting consumer units 24 and 36 DIN modules, are now integrated into the range. Changes are in all versions of items **675.4024** and **674.4036** (white colored versions and versions with accessories).



We remind you that the terminal block suitable for installation is item 654.0349 (4x10mm²+6x16mm²).



5. NEW! TECHNICAL DATA SHEETS FOR THE MAIN PRODUCT SERIES ARE NOW AVAILABLE

InfoTECH, technical data sheets, are now available. These official documents contain all technical features relevant to several Series of SCAME products. Technical data sheets can be downloaded in PDF format and are then available to all **ScameOnLine** users. Moreover these documents can be attached to the declarations of conformity of electrical installations made using SCAME products or be included in prescriptions, projects, technical specifications or even be used as reference tools for the good quality of the components.

For more information please refer to the list of documents available at the following web page: **InfoTECH**

http://www.scame.com/it/infotec/infot_ser.htm



SCAME PARRE SPA
EXPORT DEPT.