



TO ALL OUR CUSTOMERS

NEW


1. ACCESSORIES FOR CONDUITS – THE SMART SERIES

Scame is extending its range of accessories for rigid conduits by introducing the SMART series. The main features of the series are:


- Co-moulded gasket
- Completely HalogenFree materials
- Degree of protection to IP66/IP67 [not just IP67!] (for the IP66 conduit-sheath connector)
- Entire series is "Made in Italy"
- Entire series bears the IMQ approval
- Practical packs of 10 units each



FOR CONDUIT 90° BEND



STRAIGHT COUPLING



CONDUIT-BOX COUPLING
(same diameter)



CONDUIT-TO BOX COUPLING

Ø 16	866.216	(10/200)	866.316	(10/200)	866.516	(10/240)	866.816	(10/240)
Ø 20	866.220	(10/200)	866.320	(10/200)	866.520	(10/240)	866.820	(10/240)
Ø 25	866.225	(10/160)	866.325	(10/160)	866.525	(10/200)	866.825	(10/200)
Ø 32	866.232	(10/100)	866.332	(10/100)	866.532	(10/100)	866.832	(10/100)
Ø 40	866.240	(5/50)	866.340	(5/50)	866.540	(5/60)	866.840	(5/60)
Ø 50	866.250	(5/30)	866.350	(5/30)	866.550	(5/40)	866.850	(5/40)

Units/pack in parentheses

NEW

2. VERSIONS FOR THE BLOCK SERIES OF DISTRIBUTION ASSEMBLIES

The Block series of distribution assemblies has been enlarged with new empty versions with cutouts for standard domestic sockets with 50x60 mm flange (fam. 570).

They are particularly useful for installations that require both industrial and domestic-type sockets.

The technical features of the new products are identical to the versions that are currently in production.

Empty block assemblies

DESCRIPTION	DIN MODULES	CUTOUTS FOR SOCKET	DIMENSIONS (mm)	DISSIPABLE POWER	UNITS/PACK	CATALOGUE NUMBER
Block 3	6	4 (2+2)	136x440x105	9w	1	632.3520-00
Block 4	10	5 (2+3)	212x415x105	14w	1	632.4520-00



SCAME PARRE S.p.A.

Via Costa Erta, 15 - 24020 Parre (Bg) - Italy
Tel. 0039 035 705000 Fax 0039 035 703122
scame@scame.com



NEW 3. M150 MODULAR ENCLOSURES FOR THE DOMINO IP66 SERIES

SCAME has extended its DOMINO IP66 series of enclosures with new solutions that include blank assemblies and industrial socket assemblies for the IEC309 series and EUREKA series. These new products are ideal for vertical connection with 12-module DIN units. The technical features of the new enclosures are identical to the versions that are currently in production.

VERSION WITH BLANK ASSEMBLY

DESCRIPTION	DIN MODULES (17.5 mm)	SOCKETS	DIMENSIONS hxbxp (mm)	PACK. QTY	CATALOGUE NUMBER
M150			150x256x115	1/6	672.1101



VERSION WITH ASSEMBLY FOR IEC309 AND EUREKA SERIES

DESCRIPTION	DIN MODULES (17.5 mm)	SOCKETS	DIMENSIONS hxbxp (mm)	PACK. QTY	CATALOGUE NUMBER
M150		2(*)	150x256x115	1/6	672.1301



(*) 16A (70x87mm) also 32A (84x106 mm) with an appropriate adapter

WALL-MOUNTED BOX BASE

DESCRIPTION	DIMENSIONS (mm)	PACK. QTY	CATALOGUE NUMBER
For use with a cover	150x256x115	6	674.1001



BLANK BOX COVER

DESCRIPTION	DIMENSIONS (mm)	PACK. QTY	CATALOGUE NUMBER
Box cover	150x256x115	6	674.1101



COVER FOR IEC309 AND EUREKA SOCKETS

DESCRIPTION	DIMENSIONS (mm)	FLANGE	PACK. QTY	CATALOGUE NUMBER
Suitable for 2 sockets	150x256x115	70x87 mm	6	674.1301



ACCESSORIES – CONNECTING

DESCRIPTION	COLOUR	PACK. QTY	CATALOGUE NUMBER
Connector kit PG21 (3 sleeves, 3 nuts and 6 gaskets)		25	654.0038













NEW 4. SOCKETS AND PLUGS WITH TRANSPARENT AND BLACK HANDLES FOR THE EUREKA SERIES





SCAME has added versions with a transparent or black grip to its EUREKA series of sockets and plugs. Products with the transparent grip allow for a quick visual check of the connections inside (only the 16A 2P+T h6 and h4 IP44 and IP66/IP67 products are coded). Products with the black grip are ideal for use in environments such as concerts, theaters, exhibition stands, shows, discotheques, etc. (only the 16A 2P+T h6 IP44 products are coded).

PLUGS AND SOCKETS WITH TRANSPARENT

DESCRIPTION	POLARITY	V	COLOUR	h	PACK. QTY	CATALOGUE NUMBER
Mobile plug 16A IP44	2P+T	110-130		4h	10/100	211.1630.TR
Mobile plug 16A IP44	2P+T	200-250		6h	10/100	211.1633.TR
Mobile plug 16A IP67	2P+T	110-130		4h	10/100	216.1630.TR
Mobile plug 16A IP67	2P+T	200-250		6h	10/100	216.1633.TR
Mobile socket 16A IP44	2P+T	110-130		4h	10/100	311.1640.TR
Mobile socket 16A IP44	2P+T	200-250		6h	10/100	311.1643.TR
Mobile socket 16A IP67	2P+T	110-130		4h	10/100	316.1640.TR
Mobile socket 16A IP67	2P+T	200-250		6h	10/100	316.1643.TR



PLUGS AND SOCKETS WITH BLACK

DESCRIPTION	POLARITY	V	COLOUR	h	PACK. QTY	CATALOGUE NUMBER
Mobile plug 16A IP44	2P+T	200-250		6h	10/100	211.1633.K
Mobile socket 16A IP44	2P+T	200-250		6h	10/100	311.1643.K
Flush-mounted socket 75x75mm 16A IP44	2P+T	200-250		6h	10/100	422.1663.K
Flush-mounted socket 62x62mm 16A IP44	2P+T	200-250		6h	10/100	422.1663/R.K



SCAME PARRE SPA
MARKETING OFFICE